

DS-PK1-LT-WE

- 868MHz two-way wireless communication
- LCD screen and LED to indicate system status
- System configuration through LCD screen
- Multiple operations like stay/away arm, disarm, silent alarm, output control
- One-Push fire alarm, panic alarm, and medical alarm
- Full touch key design with LED backlight
- Fully remote configurable through App

▪ Specification

▪ Available Model

CLAVIER-TSP-WKT/France TSP

DS-PK1-LT-WE/LOBECO

DS-PK1-LT-WE/F-PK-LT401M/FLOW

DS-PK1-LT-WE/IDEA

DS-PK1-LT-WE/DZ

DS-PK1-LT-WE/DZ/France

DS-PK1-LT-WE

DS-PK1-LT-WE/kit/Europe

DS-PK1-LT-WE/France sonepar/kit

DS-PK1-LT-WE/ITALY LIS

DS-PK1-LT-WE/Segurma

DS-PK1-LT-WE (CH)/France Safe

DS-PK1-LT-WE/Iberia

CLAVIER-TSP-WKT-N/France TSP

DS-PK1-LT-WE-SOS-ST-LO/SOS ST-LO

DS-PK1-LT-WE/BLACK

See Far, Go Further



www.hikvision.com
support@hikvision.com

